applied surface science

Contents

Volume 216 (2003) Nos. 1–4

Preface 1

Semiconductor Technology in Future

The National Si-Soft Project
C.-Y. Chang and C.V. Trappey 2

Silicon Surface

Coexistence of passive and active oxidation for O_2/Si(0 0 1) system observed by SiO mass spectrometry and synchrotron radiation photoemission spectroscopy
Y. Teraoka, K. Moritani and A. Yoshigoe 8

Adsorption of Si atom on H-terminated Si(001)-2 × 1 surface
T. Hashizume, H. Kajiyama, Y. Suwa, S. Heike, S. Matsuura, J. Nara and T. Ohno 15

Temperature dependence of flat Ge/Si(0 0 1) heterostructures as observed by CAICISS
R. Tsushima, M. Katayama, T. Fujino, M. Shindo, T. Okuno and K. Oura 19

Semiconductor Surface and Interfaces

Anomalously large band-bending for HF-treated p-Si surfaces
D. Watanabe, A. En, S. Nakamura, M. Suhara and T. Okumura 24

Stochastic motion of 7 × 7 kinks at monoatomic step edges on the Si(1 1 1) surface
T. Fukuda, S. Maeda and H. Nakayama 30

Study of Sb adsorption on the Si(0 0 1)–In(4 × 3) surface
D. Gruznev, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama 35

Surface stress relaxation in SiO_2 films by plasma nitridation and nitrogen distribution in the film
A.N. Itakura, M. Shimoda and M. Kitajima 41

Novel post CMP cleaning using buffered HF solution and ozone water
C.-F. Yeh, C.-W. Hsiao and W.-S. Lee 46

Investigation of SiC clean surface and Ni/SiC interface using scanning tunneling microscopy
N. Hattori, M. Hirai, M. Kusaka and M. Iwami 54

Hydrogen-related structural changes on CVD diamond (1 0 0) surfaces by ultra-high-vacuum annealing
J. Nakamura, S. Fukumoto, T. Teraji, H. Murakami and T. Ito 59

Field-induced effects of implanted Ga on high electric field diamond devices fabricated by focused ion beam
M. Hamada, T. Teraji and T. Ito 65

Effect of Ni–Cu substrates on phase selection of hexagonal and cubic boron nitride thin films
S. Kotake, T. Hasegawa, K. Kamiya, Y. Suzuki, T. Masui, Y. Kangawa, K. Nakamura and T. Ito

Anisotropy of lateral growth rate in liquid phase epitaxy of {0 0 1} InP
T. Kochiya, Y. Oyama, K. Suto and J.-I. Nishizawa

Lattice distortion near InGaP compound semiconductor surface due to surface treatment of bias sputtering
T. Emoto, Y. Yoshida, K. Akimoto, A. Ichimiya, S. Kikuchi, K. Itagaki and H. Namita

Laser-stimulated control of interfaces at grain boundaries in polycrystalline $Cd_xHg_{1-x}Te$ films
V.A. Gnatyuk, T. Aoki and Y. Hatanaka

Passivation of defects in polycrystalline Cu_2O thin films by hydrogen or cyanide treatment
S. Ishizuka, S. Kato, Y. Okamoto, T. Sakurai, K. Akimoto, N. Fujiwara and H. Kobayashi

Modification of GaAs and copper surface by the formation of SiO_2 aerogel film as an interlayer dielectric
S.-W. Park, S.-B. Jung, M.-G. Kang, H.-H. Park and H.-C. Kim

Thin-Film Formation

Interface formation and properties of α-NPD thermally deposited on CVD diamond films
M.-S. Chun, T. Teraji and T. Ito

Contactless electrical characterization of surface and interface of SOI materials
S. Nakamura, D. Watanabe, A. En, M. Suhara and T. Okumura

Device-quality GaN–dielectric interfaces by 300 C remote plasma processing
C. Bae, G.B. Rayner and G. Lucovsky

(Contents continued on page XXX)

0169-4332(20030630)216:1-4;1-2

(*Continued from outside back cover*)

Remote plasma-assisted nitridation (RPN): applications to Zr and Hf silicate alloys and Al_2O_3
C. Hinkle and G. Lucovsky 124

Phase transition from Langmuir-type adsorption to two-dimensional oxide island growth during oxidation on Si(0 0 1) surface
Y. Takakuwa, F. Ishida and T. Kawawa 133

Theoretical study on the initial processes of nitridation of silicon thin film
S. Yoshida, K. Doi, K. Nakamura and A. Tachibana 141

Correlation between deposition parameters and structural modification of amorphous carbon nitride (a-CN_x) film in magnetron sputtering
H.-S. Jung and H.-H. Park 149

The role of vacuum ultraviolet in H_2 plasma treatment on SiO_2 aerogel film
S.-B. Jung, H.-H. Park and H. Kim 156

Metal-Semiconductor Interfaces

The effect of metals (Au, Ag) and oxidizing ambient on interfacial reactions in Au/Si and Ag/Si systems
D. Adams, B.A. Julies, J.W. Mayer and T.L. Alford 163

Surface and interface study of Cu (film)/SiC (substrate) system
Z. An, M. Hirai, M. Kusaka and M. Iwami 169

Effect of Al interlayers on two-step epitaxial growth of $CoSi_2$ on Si(1 0 0)
O. Nakatsuka, H. Onoda, E. Okada, H. Ikeda, A. Sakai, S. Zaima and Y. Yasuda 174

Diffusion barrier properties of nano-crystalline TiZrN films in Cu/Si contact systems
M.B. Takeyama, T. Itoi, E. Aoyagi and A. Noya 181

Nano-structure of transition-metal (Ti, Ni)/SiC system: photo-emission electron microscopy and soft X-ray fluorescence spectroscopy
M. Hirai, J.P. Labis, A. Ohi, C. Kamezawa, Y. Morikawa, K. Yoshida, M. Kusaka and M. Iwami 187

Properties of GaN and AlGaN Schottky contacts revealed from *I–V–T* and *C–V–T* measurements
T. Sawada, Y. Izumi, N. Kimura, K. Suzuki, K. Imai, S.-W. Kim and T. Suzuki 192

Process-induced defects and potential distribution in nearly ideal Au/Si Schottky barriers
K. Maeda 198

Interface-controlled Gd_2O_3/GaAs system for ferroelectric memory application
J.-K. Yang, W.S. Kim and H.-H. Park 203

High-K Dielectrics and Ferroelectric Films

Built-in interface in high-κ gate stacks
M. Hiratani, K. Torii, Y. Shimamoto and S.-I. Saito 208

Band offset energies in zirconium silicate Si alloys
G. Lucovsky, B. Rayner, Y. Zhang, G. Appel and J. Whitten 215

Diffusion and incorporation of Zr into thermally grown SiO_2 on Si(1 0 0)
M. Yamaoka, H. Murakami and S. Miyazaki 223

Comparison of thermal and plasma oxidations for HfO_2/Si interface
S. Hayashi, K. Yamamoto, Y. Harada, R. Mitsuhashi, K. Eriguchi, M. Kubota and M. Niwa 228

Chemical and electronic structures of Lu_2O_3/Si interfacial transition layer
H. Nohira, T. Shiraishi, T. Nakamura, K. Takahashi, M. Takeda, S. Ohmi, H. Iwai and T. Hattori 234

Oxygen radical treatment applied to ferroelectric thin films
I. Takahashi, H. Sakurai, A. Yamada, K. Funaiwa, K. Hirai, S. Urabe, T. Goto, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi 239

Insulator-Si Interfaces

Reliability of silicon nitride gate dielectrics grown at 400 °C formed by microwave-excited high-density plasma
I. Ohshima, W. Cheng, Y. Ono, M. Higuchi, M. Hirayama, A. Teramoto, S. Sugawa and T. Ohmi 246

Electronic structure and energy band offsets for ultrathin silicon nitride on Si(1 0 0)
S. Miyazaki, M. Narasaki, A. Suyama, M. Yamaoka and H. Murakami 252

The role of hydrogen migration in negative-bias temperature instability
J. Ushio, K. Watanabe, K. Kushida-Abdelghafar and T. Maruizumi 258

New intrinsic pair defects in silicon dioxide interface
I. Kitagawa and T. Maruizumi 264

Microscopic mechanism of interfacial reaction during Si oxidation
T. Akiyama and H. Kageshima 270

Pinning-free GaAs MIS structures with Si interface control layers formed on (4 × 6) reconstructed (0 0 1) surface
S. Anantathanasarn and H. Hasegawa 275

Insulator-Semiconductor Interfaces

Compositional transition layer in SiO_2/Si interface observed by high-resolution RBS
K. Kimura and K. Nakajima 283

Depth profiling of oxynitride film formed on Si(1 0 0) by photon energy dependent photoelectron spectroscopy
K. Nishizaki, H. Nohira, K. Takahashi, N. Kamakura, Y. Takata, S. Shin, K. Kobayashi, N. Tamura, K. Hikazutani and T. Hattori 287

Interfacial chemistry and structures of ultrathin Si oxynitride films
M. Oshima, K. Kimura, K. Ono, K. Horiba, K. Nakamura, H. Kumigashira, J.-H. Oh, M. Niwa, K. Usuda and N. Hirashita 291

Preparation of hafnium oxide films from oxygen-free $Hf[N(C_2H_5)_2]_4$ precursor and their properties
K. Takahashi, M. Nakayama, S. Yokoyama, T. Kimura, E. Tokumitsu and H. Funakubo 296

Effect of surface treatment of Si substrates and annealing condition on high-k rare earth oxide gate dielectrics
C. Ohshima, J. Taguchi, I. Kashiwagi, H. Yamamoto, S. Ohmi and H. Iwai 302

Si/SiO_2 interface attack during metal oxide growth under low oxygen pressure
K. Kubo, M. Kiyohara, K. Shimoyama and K. Yamabe 307

An orientation ratio and ferroelectric properties of ultra-thin PTO films
K. Nishida, T. Sugino, M. Osada, M. Kakihana and T. Katoda 312

Effects of the substrate on properties of PTO thin film
K. Nishida, G. Matuoka, M. Osada, M. Kakihana and T. Katoda 318

Growth mechanism of PTO on MgO at initial stage
K. Nishida, K. Shirakata, M. Osada, M. Kakihana and T. Katoda 323

Process and Reliability Issues

Thickness dependent integrity of gate oxide on SOI
M. Tsujiuchi, T. Iwamatsu, H. Naruoka, H. Umeda, T. Ipposhi, S. Maegawa and Y. Inoue 329

All-optical circular polarization switching phenomenon observed in photo chemically etched silicon
N. Yamamoto 334

Simulation of dislocation accumulation in ULSI cells with STI structure
T. Ohashi, M. Sato, T. Maruizumi and I. Kitagawa 340

Improvement of hot-carrier-reliability by deuterium termination of Si/SiO_2 interface defects
H. Takahashi and H. Yamada-Kaneta 347

Characterization and Monitoring

Characterization of dielectric properties of ultrathin SiO_2 film formed on Si substrate
K. Hirose, H. Kitahara and T. Hattori 351

Structural study of SiC(0 0 0 1)3 × 3 surface by surface X-ray diffraction
T. Aoyama, K. Akimoto, A. Ichimiya, Y. Hisada, S. Mukainakano, T. Emoto, H. Tajiri, T. Takahashi, H. Sugiyama, X. Zhang and H. Kawata 356

In situ observation of step-terrace structures on MOVPE grown InP(0 0 1) by using grazing X-ray scattering
T. Kawamura, S. Bhunia, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima and Y. Tsusaka 361

SiO_2/SiC interface proved by positron annihilation
M. Maekawa, A. Kawasuso, M. Yoshikawa and H. Itoh 365

Study of Cu and Co gettering mechanism using radioactive isotope tracers
K. Matsukawa, H. Naruoka, N. Hattori and Y. Mashiko 371

Nucleation and growth of nanocrystalline silicon studied by TEM, XPS and ESR
K. Sato, T. Izumi, M. Iwase, Y. Show, H. Morisaki, T. Yaguchi and T. Kamino 376

Real-time measurement of rocking curves during MOVPE growth of $Ga_xIn_{1-x}P$/GaAs
S. Bhunia, T. Kawamura, Y. Watanabe, S. Fujikawa, J. Matsui, Y. Kagoshima, Y. Tsusaka, K. Uchida, N. Sugiyama, M. Furiya, S. Nozaki and H. Morisaki 382

Real time observation of initial thermal oxidation using O_2 gas on Si(0 0 1) surface by means of synchrotron radiation Si-2p photoemission spectroscopy
A. Yoshigoe, K. Moritani and Y. Teraoka 388

Real-time monitoring of oxidation on the Ti(0 0 0 1) surface by synchrotron radiation photoelectron spectroscopy and RHEED–AES
Y. Takakuwa, S. Ishidzuka, A. Yoshigoe, Y. Teraoka, Y. Yamauchi, Y. Mizuno, H. Tonda and T. Homma 395

Nanostructures and Interface

Formation and characteristics of 100-nm scale GaAs quantum wires by selective area MOVPE
H. Takahashi, Y. Miyoshi, F. Nakajima, P. Mohan, J. Motohisa and T. Fukui 402

Shape transition of InAs from two-dimensional islands to three-dimensional dots by annealing
S. Iwasaki and K. Yamaguchi 407

Quantum and Nanostructures

Fabrication and characterization of GaInP/GaAs triple barrier resonant tunneling diodes grown by MOCVD
N. Asaoka, H. Funato, M. Suhara and T. Okumura 413

Precise control of size and density of self-assembled Ge dot on Si(1 0 0) by carbon-induced strain-engineering
Y. Wakayama, L.V. Sokolov, N. Zakharov, P. Werner and U. Gösele 419

Si submonolayer and monolayer digital growth operation techniques using Si_2H_6 as atomically controlled growth nanotechnology
Y. Suda, N. Hosoya and K. Miki 424

Characteristics of ZnO whiskers prepared from organic-zinc
J. Kubota, K. Haga, Y. Kashiwaba, H. Watanabe, B.P. Zhang and Y. Segawa 431

Epitaxial Growth

Understanding the growth mechanisms of GaAs and InGaAs thin films by employing first-principles calculations
P. Kratzer, E. Penev and M. Scheffler 436

First-principles study for molecular beam epitaxial growth of GaN(0 0 0 1)
A. Ishii 447

Thermodynamic study on compositional instability of InGaN/GaN and InGaN/InN during MBE
Y. Kangawa, T. Ito, Y. Kumagai and A. Koukitu 453

Theories

Systematic theoretical investigations of miscibility in $Si_{1-x-y}Ge_xC_y$ thin films
T. Ito, K. Nakamura, Y. Kangawa, K. Shiraishi, A. Taguchi and H. Kageshima 458

First-principle theoretical study on the electronic properties of SiO_2 models with hydrogenated impurities and charges
K. Doi, K. Nakamura and A. Tachibana 463

Ab initio study of 3*C*-SiC/M (M = Ti or Al) nano-hetero interfaces
S. Tanaka and M. Kohyama 471

Dynamics of In atom during InAs/GaAs(0 0 1) growth process
A. Ishii, K. Fujiwara and T. Aisaka 478

A field effect transistor using highly nitrogen-doped CVD diamond for power device applications
Y. Yokoyama, X. Li, K. Sheng, A. Mihaila, T. Traikovic, F. Udrea, G.A.J. Amaratunga and K. Okano 483

Theoretical study on stable structures and diffusion mechanisms of B in SiO_2
M. Otani, K. Shiraishi and A. Oshiyama 490

Widegap Semiconductors

Epitaxial growth of 4H–SiC(0 3 $\bar{3}$ 8) and control of MOS interface
T. Kimoto, T. Hirao, K. Fujihira, H. Kosugi, K. Danno and H. Matsunami 497

Growth of GaN on ZrB_2 substrate by metal-organic vapor phase epitaxy
Y. Tomida, S. Nitta, S. Kamiyama, H. Amano, I. Akasaki, S. Otani, H. Kinoshita, R. Liu, A. Bell and F.A. Ponce 502

Low-temperature growth of AlN on nearly lattice-matched MnO substrates
S. Ito, H. Fujioka, J. Ohta, A. Sasaki, J. Liu, M. Yoshimoto, H. Koinuma and M. Oshima 508

Laser lift-off of very thin AlGaN film from sapphire using selective decomposition of GaN interlayer
T. Ueda, M. Ishida and M. Yuri 512

Effects of surface processing on 2DEG current transport at AlGaN/GaN interface studied by gateless HFET structure
T. Inagaki, T. Hashizume and H. Hasegawa 519

Compound Semiconductors

Composition dependence of InP/$Ga_xIn_{1-x}As_yP_{1-y}$/InP interface structures analyzed by X-ray CTR scattering measurements
M. Tabuchi, H. Kyouzu, M. Takemi and Y. Takeda 526

Growth mechanism in heavily carbon-doped $GaAs_xSb_{1-x}$ grown by MOCVD
Y. Oda, N. Watanabe, H. Yokoyama and T. Kobayashi 532

AFM observation of OMVPE-grown ErP on InP substrates using a new organometal tris(ethylcyclopentadienyl)erbium ($Er(EtCp)_3$)
T. Akane, S. Jinno, Y. Yang, T. Kuno, T. Hirata, Y. Isogai, N. Watanabe, Y. Fujiwara, A. Nakamura and Y. Takeda 537

Improvement of power performance in planar type AlGaAs/GaAs MESFET by substrate surface oxidation
T. Kagiyama, Y. Saito, K. Otobe and S. Nakajima 542

Area-selective regrowth followed by AsH_3 surface treatment and its application for ultra-shallow GaAs sidewall tunnel junctions
T. Ohno, Y. Oyama, K. Tezuka, K. Suto and J.-i. Nishizawa 549

Short-period Si/$Si_{1-x}Ge_x$ multiple quantum wells: real-time spectro-ellipsometric characterization during growth by synchrotron-radiation-excited chemical-beam epitaxy
H. Akazawa 554

Semiconductor Homo- and Hetero-interfaces

Growth sequence dependence of GaAs-on-GaInP interface characteristics in GaAs/GaInP/GaAs structures grown by low-pressure organometallic vapor phase epitaxy
A. Koizumi, Y. Fujiwara, K. Inoue, T. Yoshikane, A. Urakami and Y. Takeda 560

Reactor structure dependence of interface abruptness in GaInAs/InP and GaInP/GaAs grown by organometallic vapor phase epitaxy
Y. Fujiwara, Y. Nonogaki, R. Oga, A. Koizumi and Y. Takeda 564

Heteroepitaxial growth of InSb films on a Si(0 0 1) substrate via AlSb buffer layer
M. Mori, N. Akae, K. Uotani, N. Fujimoto, T. Tambo and C. Tatsuyama 569

Initial stage of 3C–SiC growth on Si(0 0 1)–2 × 1 surface using monomethylsilane
Y. Narita, T. Inubushi, M. Harashima, K. Yasui and T. Akahane 575

Radio frequency power dependence of the characteristics of 3C-SiC on Si grown by triode plasma CVD using dimethylsilane
K. Yasui, M. Hashiba and T. Akahane 580

Mechanism of H_2 pre-annealing on the growth of GaN on sapphire by MOVPE
M. Tsuda, K. Watanabe, S. Kamiyama, H. Amano, I. Akasaki, R. Liu, A. Bell and F.A. Ponce 585

Study of epitaxial $SrTiO_3$ (STO) thin films grown on Si(0 0 1)–2 × 1 substrates by molecular beam epitaxy
M.N.K. Bhuiyan, A. Matsuda, T. Yasumura, T. Tambo and C. Tatsuyama 590

Improved surface morphology of sulfur-doped homoepitaxial diamond films by plasma CVD method with SF_6 Grading–Doping profile
S. Fujii, S. Hino and T. Kobayashi 596

Magnetic and optical properties of novel magnetic semiconductor Cr-doped ZnO and its application to all oxide p–i–n diode
I. Satoh and T. Kobayashi 603

Growth and annealing effect of ferromagnetic (Ga, Mn)As on Si(1 0 0) substrates
N. Uchitomi, S. Sato and Y. Jinbo 607

Growth of β-$FeSi_2$ on $MnSi_{1.7}$ layers by reactive deposition epitaxy
M. Kohira, Y. Souno, T. Matsuyama, H. Tatsuoka, I.J. Ohsugi, I.A. Nishida and H. Kuwabara 614

Formation of CaMgSi at Ca_2Si/Mg_2Si interface
T. Hosono, M. Kuramoto, Y. Matsuzawa, Y. Momose, Y. Maeda, T. Matsuyama, H. Tatsuoka, Y. Fukuda, S. Hashimoto and H. Kuwabara 620

Decay rates of exciton and phonon-assisted recombination in asymmetric GaAs/AlAs type II superlattices
A.K. Sulaimanov, L.S. Braginsky, A.M. Gilinsky, A.I. Toropov, A.K. Bakarov and K.S. Zhuravlev 625

Author Index I

Subject Index IX